

INDEX TO VOLUME 67

By JANE R. DURHAM

A

- Abbott, Waldo G., blue grouse persists on Mount Pinos in southern California, 85; American oystercatcher on Anacapa Island, California, 190
- Accipiter cooperii*, 97, 117, 269, 320
gentilis, 269, 408
gentilis atricapillus, 97, 117
striatus velox, 408
- Acrocephalus scirpaceus*, 134
- Aechmophorus mexicanus*, 343
- Aegolius acadicus*, 73, 101
acadicus acadicus, 76, 117
- Aeronautes saxatalis*, 103, 408
saxatalis saxatalis, 117
- Aethia pusilla*, 225
pygmaea, 225
- Agelaioides*, 362
badius, 362
- Agelaius*, 169
phoeniceus, 45, 132, 157, 261, 264-269
tricolor, 47, 373
- Aimophila carpalis*, 188-190
ruficeps, 447
ruficeps scotti, 447
- Alauda arvensis*, 357
- Albatross, Black-footed*, 187, 188
Laysan, 355
- Alectoris chukar*, 31-43
- Alvarez del Toro, Miguel, the nesting of the belted flycatcher, 339
- Amazilia violiceps*, 353
- Anas*, *hispiza belli nevadensis*, 119
billineata, 189
- Anas*, 279
acuta, 356
carolinensis, 356
crecca, 287
laysanensis, 286
platyrhynchos, 233, 287, 356, 512
strepera, 356
- Anatidae, 535
- Anderson, Anders H., notes on the behavior of the rufous-winged sparrow, 188
- Anderson, Anders H., and Anderson, Anne, the cactus wrens on the Santa Rita Experimental Range, Arizona, 344
- Ani*, Groove-billed, 357
- Anser*, 512, 524
albifrons, 515
albifrons frontalis, 356, 515
albifrons gambelli, 356
fabalis brachyrhynchus, 524
- Anthus pratensis*, 374
spinoletta, 414
- Aphelocoma coerulescens grisea*, 118
coerulescens nevadae, 108, 118, 122
coerulescens superciliosa, 118
coerulescens woodhousei, 118
- Apteryx*, 254
- Apus*, 309
melba, 311
- Aquila chrysaetos*, 37, 98
chrysaetos canadensis, 117
- Aratinga canicularis*, 140-156
canicularis canicularis, 141-156
- Archilochus alexandri*, 191, 353
- Ardea herodias*, 74
- Ardeola ibis*, 191
- Arnold, John R., and Bolander, Gordon L., an abundance of white-tailed kites in Sonoma County, California, 446
- Arremonops rufivirgatus*, 342
- Asio flammeus*, 357
galapagoensis, 213
otus, 101
otus wilsonianus, 117
- Asyndesmus lewis*, 458, 485
- Auk*, Lucas, 360
- Auklet*, Cassin, 220-228
Parakeet, 357
- Aulacorhynchus prasinus*, 3
- Austin, George T., and Bradley, W. Glen, bird records from southern Nevada, 445
- Aythya*, 276, 279
americana, 361
fuligula, 356
valisineria, 74

B

- Baird, James*, Oregon juncos collected in Massachusetts, 358
- Balda, Russell P., loggerhead shrike kills mourning dove, 359
- Banks, Richard C., Hardy, James L., and Roberts, Don R., the composition of a wintering population of white-crowned sparrows in Kern County, California, 90
- Banks, Richard C., and Short, Lester L., Jr., Louisiana waterthrush in Baja California, 188
- Bartramia longicauda*, 75
- Blackbird*, Brewer, 135, 408, 412
European, 131, 374
Redwinged, 45, 47, 56, 57, 132, 157, 168, 169, 261, 264-269
Rusty, 78
Tricolored, 47, 51, 54, 373
Yellow-headed, 132
- Blackcap*, 401

- Bluebird, Mountain, 411
 Western, 111, 411
- Blum, Joseph R., eagle versus fish, 190
- Bobolink, 90, 307-310, 313, 314, 383-403
- Bobwhite, 33, 37, 38
- Bolander, Gordon L., and Arnold, John R., an abundance of white-tailed kites in Sonoma County, California, 446
- Bolen, Eric G., and Fleetwood, Raymond J., compound clutch of the chachalaca, 84
- Bombycilla cedrorum, 366
- Booby, Blue-faced, 356
 Brown, 356
- Bradley, W. Glen, and Austin, George T., bird records from southern Nevada, 445
- Brant, American, 526
 Black, 357
- Branta, bernicla hrota, 526
 canadensis, 356
 canadensis parvipes, 528
 nigricans, 357
- Bubo virginianus, 101, 349
 virginianus lagophonus, 76
 virginianus occidentalis, 117
 virginianus pacificus, 117
 virginianus pallescens, 117
 virginianus saturatus, 76
 virginianus wapacuthu, 76
- Bubulcus ibis, 89, 371
- Bucephala, 276
 albeola, 274
 clangula, 285
- Buchanan, O. Marcus, Allen hummingbird on Cedros Island, Baja California, 191
- Bufflehead, 274
- Bullfinch, 254
- Bunting, Indigo, 262
 Lazuli, 121
 Rosita, 3
- Bushtit, Common, 109
- Buteo harlani, 74
 jamaicensis, 97, 241, 320, 446
 jamaicensis calurus, 75, 117, 408
 jamaicensis fuertesi, 117, 408
 magnirostris, 235
 nitidus, 319-321
- Buteogallus anthracinus, 82
- C
- Calypte anna, 191
 costae, 83, 117, 191
- Camarhynchus parvulus, 82
- Campephilus, 477
 principalis, 477
- Campylorhynchus, 352
 brunneicapillus, 344-351
 fasciatus, 352
 megalopterus, 352
 megalopterus megalopterus, 352
 megalopterus nelsoni, 352
 zonatus, 352
- Canvasback, 74
- Caprimulgus vociferus arizonae, 101, 117
- Cardellina rubrifrons, 412-414
- Cardiff, Eugene A., a southern extension of the breeding range of the vesper sparrow in California, 445
- Cardiff, Eugene A., and McCaskie, Guy, notes on the distribution of the parasitic jaeger and some members of the Laridae in California, 542
- Cardinal, 359
- Carduelis cannabina, 374
 flamma, 366
- Carpodacus cassinii, 115, 119
- Carter, Dennis L., and Wauer, Roland H., black hawk nesting in Utah, 82
- Cassidix, 157
 mexicanus, 447
- Catbird, 233, 259, 261
- Cathartes aura, 97, 265, 320, 408
 aura teter, 117
- Catharus, 4, 5
 aurantiostris, 5
 dryas, 3-5
 dryas dryas, 5
 dryas harrisoni, opp. 3, 3-5
 dryas olandensis, 4, 5
- Catherpes mexicanus conspersus, 110, 118
 mexicanus mexicanus, 118
- Centurus carolinus, 458, 459
- Certhia familiaris albescens, 118
 familiaris leucosticta, 110, 118, 122
 familiaris montana, 118, 410
 familiaris zelotes, 118
- Chachalaca, 84, 85
 Black, 3
- Chaetura vauxi, 81
- Chaffinch, 131, 254, 434
- Charadrius hiaticula, 366
 vociferus, 75
- Chen caerulescens caerulescens, 526
 hyperborea, 512
 hyperborea hyperborea, 526
 rossii, 511-534
- Chickadee, Black-capped, 360
 Carolina, 294
 Chestnut-backed, 271
 Mountain, 109, 291-299, 410
- Chlorura, 412
 chlorura, 115, 119
- Chordeiles minor, 103
 minor henryi, 117, 408
 minor hesperis, 117
- Cinclus cinclus, 535-536
 mexicanus, 110, 535
 mexicanus mexicanus, 118
 mexicanus unicolor, 410
- Circus approximans, 91
 cyaneus, 37
- Cistothorus platensis, 17

- Clamator glandarius*, 375
Clangula hyemalis, 74
Clytospiza monteiri, 371
Coccyzus, 368, 369
 americanus, 362
Colaptes, 458
 auratus, 409
 auratus collaris, 409
 cafer, 77, 409, 459
 cafer collaris, 103, 117
Colinus virginianus, 33
Columba, 309
 fasciata fasciata, 99, 117, 408
 fasciata monilis, 99, 117
 livia, 183, 291, 311
Contopus pertinax, 413, 414
 pertinax pallidiventris, 409
 richardsonii richardsonii, 107, 118
 sordidulus velici, 409
 virens, 45, 244
Coot, American, 287
Corvus, 173, 309
 corax, 108, 118, 410
 frugilegus, 178
 monedulus, 158
Coturnix, 309
 coturnix coturnix, 312
Cowbird, 121
 Bay-winged, 56, 362
 Brown-headed, 44-60, 257-262, 362, 366, 369-373
 Screaming, 362, 363
 Shiny, 56, 362
Creepers, Brown, 110, 116, 410
Crossbill, Red, 115, 413, 416-422
Crotophaga sulcirostris, 357
Cuckoo, Black-billed, 369, 370
 European, 56, 362, 364, 372, 373, 375
 Great Spotted, 375, 376
 Yellow-billed, 362, 363, 369, 370
Cuculus canorus, 53, 56, 362, 370, 374
Cyanocitta cristata, 364
 stelleri, 298, 414
 stelleri diademata, 118
 stelleri frontalis, 118
 stelleri macrolopha, 108, 118, 410
 stelleri percentatrix, 108
 stelleri stelleri, 77
Cyanocorax yncas, 342
Cyclorhynchus psittacula, 357
Cypseloides, 449
 fumigatus, 452
 niger, 454
 semicollaris, 449, 454, 455
 zonaris, 449-456
Cyrtonyx ocellatus, 3
- D**
- Davis, John, the "singing male" method of censusing birds: a warning, 86; a review of a new dictionary of birds, edited by Sir A. Landsborough Thompson, 271
 Davis, John, and Elliott, Bruce G., allopreening in the gray-barred wren, 352
 Dawson, William R., and Tordoff, Harrison B., the influence of daylength on reproductive timing in the red crossbill, 416
Deltarhynchus flammulatus, 3
Dendragapus obscurus, 413, 414
 obscurus howardi, 85
 obscurus obscurus, 408
Dendrocopos, 457, 460, 463, 469
 albolarvatus, 120
 nuttallii, 269, 270
 pubescens, 413, 414, 461, 462, 474, 475
 pubescens leucurus, 409
 villosus, 183-185, 414, 458, 459, 461, 462, 463, 464, 466, 467
 villosus hylaeus, 118
 villosus icastus, 118
 villosus leucothorectis, 105, 118, 409, 414
 villosus orius, 105
Dendrocygna bicolor, 445
Dendroica, 306
 aestiva morcomi, 113
 auduboni auduboni, 113, 119
 auduboni memorabilis, 411
 auduboni nigrifrons, 119
 castanea, 306
 coronata, 444
 discolor discolor, 322-338, 434
 graciae, opp. 93, 414
 graciae graciae, 113, 119, 411
 kirtlandii, 45, 258
 magnolia, 306
 nigrescens, 113, 119
 pinus, 444
 striata, 496
Diomedea immutabilis, 355
 irrorata, 355
 nigripes, 187
Dipper, 110, 120, 121, 410
 American, 535
 European, 535
 Dixon, Keith L., dominance-subordination relationships in mountain chickadees, 291
Dolichonyx oryzivorus, 90, 307, 383-403
 Donagho, Walter R., the starling in Guanajuato, México, 447
Dove, Inca, 360
 Mourning, 36, 40, 41, 76, 86, 99, 359
 Ring, 378
 White-winged, 86, 360
Duck, Andean Torrent, 535
 Black-headed, 361
 Crested, 277
 Fulvous Tree, 445
 Harlequin, 285
 Laysan, 286
 Mallard, 233, 287, 356

- Ruddy, 286
 Tufted, 356
Dumetella carolinensis, 233, 259
 Dunson, William A., adaptation of heart and lung weight to high altitude in the robin, 215; physiological aspects of the onset of molt in the redwinged blackbird, 265
 Dzubin, Alex, a study of migrating Ross Geese in western Saskatchewan, 511

E

- Eagle, Bald, 190, 274, 285, 287-289, 360
 Golden, 37, 98
 Easterla, David A., the pine warbler in Kansas, 444; arctic loons invade Missouri, 544
 Eckelberry, Don R., painting of spotted nightingale-thrush, opp. 3
 Edwards, Martin H., cattle egret in Guerrero, México, 191
 Egret, Cattle, 89, 191, 371
 Eider, Common, 275, 277-279, 281, 282, 284-289
 European, 285, 287
 King, 287
 Pacific, 276, 277, 282, 285, 287, 288
 Spectacled, 287
 Steller, 273-290
Elanoides forficatus, 235
forficatus yetapa, 235
Elanus leucurus, 446
 Elliott, Bruce G., the nest of the red warbler, 540
 Elliott, Bruce G., and Davis, John, allopreening in the gray-barred wren, 352
 Empidonax, 423, 424, 435, 436
difficilis, 106
difficilis difficilis, 106, 107, 118
difficilis hellmayri, 106, 107, 118, 121, 409
difficilis immodulatus, 118
hammondii, 105, 107, 414, 423-437
oberholseri, 106, 107, 118, 414
traillii brewsteri, 105
wrightii, 106, 107, 118
Ergaticus ruber, 540
versicolor, 540
Erithacus rubecula, 131
Erolia acuminata, 357
Eugenius fulgens, 353
Euphagus carolinus, 78
cyanocephalus, 135, 408, 412-414
Eupoda montana, 540-541

F

- Falco rusticolus, 274, 288
 sparverius, 98
 sparverius sparverius, 117, 408
 Falcon, Laughing, 235
 Farner, Donald S., King, James R., and Mewaldt, L. Richard, seasonal sex and age ratios in populations of the white-

- crowned sparrows of the race gambelii, 489
 Fieldfare, 254
 Finch, Brown-capped Rosy, 414
 Cassin, 115
 Fisher, Harvey I., bird records from Midway Atoll, Pacific Ocean, 355
 Fleetwood, Raymond J., and Bolen, Eric G., compound clutch of the chachalaca, 84
 Flicker, 409
 Red-shafted, 77, 103
 Flycatcher, Ash-throated, 354
 Belted, 339-343
 Boat-billed, 237
 Coues, 409
 Dusky, 106, 414
 Gray, 106
 Great Crested, 233
 Hammond, 105, 106, 360, 414, 423-437
 Olive-sided, 107, 409
 Pileated, 343
 Pygmy Tyrant, 538
 Stolid, 444
 Traill, 105
 Western, 106, 121, 409
 Wright, 106
 Francis, William J., double broods in California quail, 541
Fratercula corniculata, 357
Fringilla coelebs, 131, 254, 434, 497, 500
coelebs coelebs, 496
Fulica americana, 287
 Fulmar, 356
 Giant, 355
Fulmaris glacialis, 356

G

- Gadwall, 356
 Gallus, 309
 gallus, 233, 291
 Gavia arctica, 544
 immer, 544
 stellata, 544
Geococcyx californianus, 346
Geothlypis trichas, 314
trichas campicola, 114
 Gifford, Cameron E., and Odum, Eugene P., bioenergetics of lipid deposition in the bobolink, a trans-equatorial migrant, 383
Glaucidium gnoma, 101
gnoma californicum, 101, 117
gnoma gnoma, 117
 Gnatcatcher, Blue-gray, 111
 Godwit, Hudsonian, 75
 Goldeneye, Common, 285
 Goldfinch, 366
 American, 261
 Lesser, 413
 Goose, Blue, 526
 Cackling, 520
 Canada, 356

- Lesser Canada, 528
 Lesser Snow, 515, 526, 527, 531
 Snow, 512, 524-525, 527, 528
 Ross, 511-534
 White-fronted, 356, 515, 521
 Goshawk, 97, 121, 269, 408
 Graber, Richard R., and Graber, Jean W., variation in avian brain weights with special reference to age, 300
 Grackle, Boat-tailed, 157, 447
 Great-tailed, 157-182
 Grosbeak, Black-headed, 115, 412
 Blue, 413
 Evening, 120, 412
 Pine, 414
 Rose-breasted, 308, 310
 Grouse, Blue, 85, 360, 408
 Guiraca caerulea, 413
 Gull, California, 83, 161, 167
 Franklin, 542-543
 Glaucous-winged, 274, 542
 Heermann, 83, 84, 443
 Ivory, 76
 Laughing, 82
 Swallow-tailed, 355
 Western, 443, 542
 Gygis alba, 91
 Gymnorhinus cyanocephalus, 108, 118
 Gyrfalcon, 274, 285, 287, 288

H

- Haematopus bachmani, 190
 haematopus, 366
 palliatus, 190
 Haliaeetus leucocephalus, 190, 274, 288
 Hall, George A., additional records for the stolid flycatcher on St. John, Virgin Islands, 444
 Hamilton, William J., III, and Orians, Gordon H., evolution of brood parasitism in altricial birds, 361
 Hardy, James L., Roberts, Don R., and Banks, Richard C., the composition of a wintering population of white-crowned sparrows in Kern County, California, 90
 Hardy, John William, flock social behavior of the orange-fronted parakeet, 140; a spectacular case of Cnemidocoptiasis (scaly-leg) in the white-breasted nuthatch, 264
 Harpagus bidentatus, 235
 Harris, Stanley W., and Wheeler, Richard J., hybrid of blue-winged teal \times cinnamon teal in northwestern California, 539
 Hatch, Jeremy J., only one species of Galápagos mockingbird feeds on eggs, 354
 Hauser, Ronald J., and Selander, Robert K., gonadal and behavioral cycles in the great-tailed grackle, 157
 Haverschmidt, F., a nest of the double-banded pygmy tyrant, 538

- Hawk, Black, 82, 83
 Cooper, 97, 121, 269, 320
 Gray, 319-321
 Harlan, 74, 75
 Large-billed, 235
 Marsh, 37
 Red-tailed, 75, 97, 241, 320, 408, 446
 Sharp-shinned, 408
 Sparrow, 98, 408
 White, 240
 Helmitheros vermivorus, 112
 Heppner, Frank, sensory mechanisms and environmental clues used by the American robin in locating earthworms, 247
 Heron, Great Blue, 74
 Herpetotheres cachinnans, 235
 Hesperiphona vespertina, 120
 vespertina brooksi, 412
 vespertina montana, 412
 Heteronetta atricapilla, 361
 Heteroscelus incanum, 87-89
 Hetrick, Wes, and McCaskie, Guy, unusual behavior of a white-tailed tropic-bird in California, 186
 Hirundo rustica, 374
 Histrionicus histrionicus, 285
 Holcomb, Larry C., long nest attentiveness for a cardinal, 359
 Holoquiscalus, 157
 Hubbard, John P., two western occurrences of the orchard oriole, 265; the summer birds of the forests of the Mogollon Mountains, New Mexico, 404
 Hummingbird, Allen, 191
 Anna, 191
 Black-chinned, 191, 353
 Blue-throated, 352-354
 Broad-tailed, 103, 408
 Calliope, 191, 408
 Costa, 83, 191
 Rivoli, 353
 Rufous, 77, 191, 409
 Violet-crowned, 353
 Xantus, 191
 Hylocharis xantusii, 191
 Hylocichla, 4, 310
 guttata, 413, 414
 guttata auduboni, 118, 410
 guttata polionota, 111, 118, 122
 guttata sequoiensis, 118
 minima, 304
 ustulata, 303, 413
 ustulata swainsoni, 410

I

- Icterus cuculatus, 353
 parisorum, 119
 spurius, 265
 Ictinia plumbea, 235

- Islieb, Malcom E., Williamson, Francis S. L., and Peyton, Leonard J., new distributional and overwintering records of birds from south-central Alaska, 73

J

- Jackdaw, 158, 160, 166
 Jaeger, Parasitic, 542-544
 Jay, Blue, 364
 Gray, 414
 Green, 342
 Piñon, 108
 Scrub, 108
 Steller, 77, 108, 116, 121, 298, 410
 Johnson, Ned K., the breeding avifaunas of the Sheep and Spring ranges in southern Nevada, 93; differential timing and routes of the spring migration in the Hammond flycatcher, 423
 Junco, 116, 123, 399, 438, 441, 442
 caniceps, 413, 439
 caniceps caniceps, 116, 119, 122
 caniceps dorsalis, 119, 412, 414
 hyemalis, 78, 135, 438-441
 hyemalis hyemalis, 438, 439
 oreganus, 78, 119, 158, 292, 358, 359
 oreganus montanus, 358
 oreganus mutabilis, 116
 oreganus thurberi, 116
 phaeonotus, 119, 439
 vulcani, 439, 441
 Junco, Gray-headed, 116, 412
 Oregon, 78, 116, 158, 292, 358-360
 Slate-colored, 78, 135, 438, 441
 Junglefowl, Red, 360
 Jynx, 309

K

- Killdeer, 75
 King, James R., Farner, Donald S., and Melwoldt, L. Richard, seasonal sex and age ratios in populations of the white-crowned sparrows of the race gambelii, 489
 Kingbird, Cassin, 413
 Tropical, 237, 241
 Kinglet, Golden-crowned, 120, 411
 Ruby-crowned, 112, 411
 Kite, Double-toothed, 235, 241, 242, 244-246
 Plumbeous, 235, 244
 Swallow-tailed, 235-238, 240-242, 244, 245
 White-tailed, 446
 Kittiwake, 284
 Kiwi, 254
 Kramer, Peter, bobolink and summer tanager on Galápagos Islands in late summer, 90

L

- Lagopus lagopus, 207
 leucurus, 414
 mutus, 206
 Lampornis clemenciae, 352-354

- Lampronetta fischeri, 287
 Lanius collurio, 207, 374
 ludovicianus, 349, 359
 Lanyon, Wesley E., correction of erroneous records of the ash-throated flycatcher for northern Guatemala and Yucatán, México, 354
 Laridae, 542-544
 Larus atricilla, 82
 californicus, 83, 161
 furcatus, 355
 glaucescens, 274, 542
 heermanni, 83, 84, 443
 occidentalis, 443, 542
 pipixcan, 542-543
 Leopold, A. Starker, harrier observed catching a fairy tern in Tahiti, 91
 Leraas, Harold J., a record of the mountain plover in Washington state, 540
 Leucopternis albigollis, 240
 princeps, 240
 Leucosticte australis, 414
 Lewin, Victor, the introduction and present status of California quail in the Okanagan Valley of British Columbia, 61
 Limosa haemastica, 75
 Linnet, European, 374
 Lloyd, Gary D., Richards, Gerald L., and White, Clayton M., goshawk nesting in the Upper Sonoran in Colorado and Utah, 269
 Lloyd, James A., seasonal development of the incubation patch in the starling, 67
 Locke, Louis N., pyrrhuloxia feeding on cactus fruits, 190
 Long, Pauline, and Poyser, Florence E., a record of the groove-billed ani in southern Nevada, 357
 Loon, Arctic, 544
 Lophonetta specularioides, 277
 Lophortyx californicus, 38, 61-66, 541-542
 californicus brunescens, 61, 62
 californicus californicus, 61
 gambelii, 38, 542
 gambelii gambelii, 117
 gambelii sanus, 117
 Lophortyx vittatus, 538-539
 Loxia curvirostra, 416-422
 curvirostra bendirei, 413
 curvirostra benti, 119, 413
 curvirostra grinnelli, 115, 119
 curvirostra sitkensis, 416
 curvirostra stricklandi, 119, 413

M

- Macronectes giganteus, 355
 Mareca americana, 356
 Marshall, David B., and Wotton, Michael, Heermann gull in Nevada, 83
 Martin, Purple, 360, 410
 Mayfield, Harold, chance distribution of cowbird eggs, 257

- McCabe, Robert A., nest construction by house wrens, 229
- McCaskie, R. G., the cattle egret reaches the west coast of the United States, 89
- McCaskie, Guy, and Cardiff, Eugene A., notes on the distribution of the parasitic jaeger and some members of the Laridae in California, 542
- McCaskie, Guy, and Hetrick, Wes, unusual behavior of a white-tailed tropic-bird in California, 186
- McCaskie, Guy, and Prather, Robert R., the curve-billed thrasher in California, 443
- McKelvey, Mike, unusual bathing habits of the turkey vulture, 265
- McKinney, F., the spring behavior of wild Steller eiders, 273
- Megarhynchus pitangua, 237
- Melanerpes, 458, 483
erythrocephalus, 459
formicivorus, 265, 270
- Melanitta nigra, 277
- Melanotis hypoleucus, 342
- Meleagris gallopavo, 41, 98, 408
- Melopsittacus, 309
undulatus, 291
- Melospiza, 441
lincolni alticola, 412
melodia, 26, 37, 205, 258, 311, 350, 441
- Merganetta armata, 535
- Mewaldt, L. Richard, King, James R., and Farner, Donald S., seasonal sex and age ratios in populations of the white-crowned sparrows of the race gambelii, 489
- Micrathene, 358
whitneyi, 358
whitneyi graysoni, 358
whitneyi sanfordi, 358
whitneyi whitneyi, 358
- Micropus, 309
- Microtus montanus, 527
- Miller, Alden H., the syringeal structure of the Asiatic owl Phodius, 536
- Mimus polyglottos, 413
- Mockingbird, 413
Blue and White, 342
Galápagos, 90
- Molothrus, 362
ater, 44-60, 257-262, 362
ater artemisiae, 119
ater obscurus, 119
badius, 53, 56
bonariensis, 53, 56, 362
rufo-axillaris, 53, 56, 362
- Monson, Gale, and Nowak, John H., black brant summering at Salton Sea, 357
- Mumford, Russell E., and Nolan, Val, Jr., an analysis of prairie warblers killed in Florida during nocturnal migration, 322
- Myadestes, 4
townsendi, 73, 78, 111
townsendi calophonus, 118, 411
townsendi townsendi, 118, 411
- Myiarchus, 354
cinerascens, 354
cinerascens cinerascens, 354
crinitus, 233
stolidus, 444
tuberculifer, 354
tyrannulus cooperi, 354
tyrannulus nelsoni, 354
- N**
- Nagel, John, field feeding of whistling swans in northern Utah, 446
- Nesomimus macdonaldi, 354, 355
parvulus, 90, 355
trifasciatus, 355
- Nighthawk, Booming, 103, 121
Common, 408
- Nightingale-Thrush, Gould, 3
Spotted, opp. 3, 3-5
- Nolan, Val, Jr., and Mumford, Russell E., an analysis of prairie warblers killed in Florida during nocturnal migration, 322
- Northern, James R., notes on the owls of the Tres Marias Islands, Nayarit, México, 358
- Nowak, John H., and Monson, Gale, black brant summering at Salton Sea, 357
- Nucifraga columbiana, 108, 118, 410, 413
- Nutcracker, Clark, 108, 410
- Nuthatch, Pigmy, 109, 116, 120, 410
Red-breasted, 73, 77, 109, 410
White-breasted, 109, 264, 265, 410
- Nuttallornis borealis, 107, 118, 409, 413, 414
- O**
- Oceanodroma furcata, 74
furcata furcata, 74
furcata plumbea, 74
- Odum, Eugene P., and Gifford, Cameron E., bioenergetics of lipid deposition in the bobolink, a trans-equatorial migrant, 383
- Oenanthe oenanthe, 73, 77, 206
- Oldsquaw, 74
- Olor buccinator, 530
columbianus, 446
- Oporornis formosus, 258
tolmiei, 413, 414
tolmiei monticola, 114, 412
- Oreoscoptes montanus, 118
- Orians, Gordon H., and Hamilton, William J., III, evolution of brood parasitism in altricial birds, 361
- Oriole, Hooded, 353
Orchard, 265
- Orr, Robert T., and Rowley, J. Stuart, nesting and feeding habits of the white-collared swift, 449

- Ortalis vetula*, 84
Otus, 358, 408
 asio, 349, 408
 asio cineraceus, 99, 117
 asio suttoni, 117
 flammeolus, 99, 408
 flammeolus flammeolus, 99, 117
 scops, 408
 scops japonicus, 408
 scops strictonotus, 408
 trichopsis, 408
Ovenbird, 45, 193, 194, 207, 257-260, 300, 307, 308, 310
Owl, Asiatic, 536-538
 Barn, 358
 Burrowing, 358
 Elf, 358
 Flammulated, 99, 101, 102, 408
 Galápagos, 213
 Great Horned, 76, 349
 Horned, 101, 114
 Long-eared, 101
 Pigmy, 101
 Saw-whet, 73, 76, 101
 Scops, 408
 Screech, 99, 349
 Short-eared, 357
 Spotted, 120, 408
Oxyura jamaicensis, 286
Oystercatcher, 366
 American, 190
 Black, 190
- P**
- Pagophila eburnea*, 76
Parakeet, Orange-fronted, 140-156
Partridge, Chukar, 31-43
Parula Americana, 113
Parus, 291
 caeruleus, 131
 carolinensis, 294
 gambeli, 291-299, 413
 gambeli abbreviatus, 118
 gambeli gambeli, 118, 410
 gambeli inyoensis, 109, 118
 inornatus ridgwayi, 109, 118
 major, 55, 206, 291
Passer, 166
 domesticus, 135, 158, 166, 183, 300
 montanus, 176
Passerella, 441, 442
Passerina amoena, 119
 cyanea, 262
 rositae, 3
Payne, Robert B., clutch size and numbers of eggs laid by brown-headed cowbirds, 44; the molt of breeding Cassin auklets, 220
Penelopina nigra, 3
Perisoreus canadensis, 414
Petrel, Fork-tailed, 74
Peucedramus taeniatus, 413
 taeniatus arizonae, 411
Pewee, Western Wood, 107, 409
 Wood, 45, 244
Peyton, Leonard J., Islieb, Malcom E., and Williamson, Francis S. L., new distributional and overwintering records of birds from south-central Alaska, 73
Phaethon aethereus, 187, 210-214, 355
 lepturus, 186, 214, 356
Phainopepla nitens, 83
Phainopepla, 83
Phalaenoptilus nuttallii californicus, 117
 nuttallii nuttallii, 103, 117
Pharomachus mocino, 3
Phasianus, 309
 colchicus, 36, 233, 312
Pheasant, Ring-necked, 38, 39, 41, 233, 312
Pheucticus ludovicianus, 308
 melanocephalus maculatus, 119
 melanocephalus melanocephalus, 115, 119, 412
Phillips, Allan R., and Rook, Warren, a new race of the spotted nightingale-thrush from Oaxaca, México, 3
Phoebe, Black, 83
 Say, 189
Phoenicurus phoenicurus, 496
Pholidus, 536-538
 badius, 536
Phylloscopus trochilus, 131
Picoides, 457, 469
 arcticus, 458, 459, 462, 463, 464, 465, 466, 467
 tridactylus, 413, 414, 462, 463
 tridactylus dorsalis, 409
Picus, 270
Pigeon, Band-tailed, 99, 121, 408
 Domestic, 183
Pinicola enucleator, 414
Pintail, 356
Pipilo, 412
 chlorurus, 412, 413
 erythrophthalmus, 86, 412
 erythrophthalmus falcinellus, 119
 erythrophthalmus griseipygus, 119
 erythrophthalmus montanus, 115, 119
 fuscus, 319
 ocai, 412
Pipit, Meadow, 374
 Water, 414
Piranga flava hepatica, 114, 119
 ludoviciana, 114, 119, 412, 413
 rubra, 90
Plectrophenax nivalis, 500
Plover, Mountain, 540-541
 Ringed, 366
 Upland, 75
Poliophtila caerulea amoenissima, 111, 118
Polysticta stelleri, 273-290

- Poocetes gramineus*, 311, 445
gramineus confinis, 445
 Poor-will, 103
 Poyser, Florence E., and Long, Pauline, a record of the groove-billed ani in southern Nevada, 357
 Prather, Robert B., and McCaskie, Guy, the curve-billed thrasher in California, 443
Progne subis, 410
Psaltiriparus melanotis, 118
minimus plumbeus, 118
minimus providentialis, 109, 118
 Ptarmigan, Rock, 206, 207
 Willow, 207
 White-tailed, 414
Ptilinopus greyii, 91
Ptychoramphus aleutica, 220-228
 Puffin, Horned, 357
Puffinus griseus, 356
 Pygmy Tyrant, Double-banded, 538-539
Pyrrhula pyrrhula, 254
Pyrrhuloxia sinuata, 190
Pyrrhuloxia, 190

Q

- Quail, Bobwhite, 40
 California, 38, 61-66, 541-542
 Gambel, 38
 Japanese, 312
 Ocellated, 3
 Quetzal, 3
Quiscalus, 157, 166, 169
 major, 157, 169, 172, 179
 mexicanus, 157-182

R

- Ramp, Warren K., the auditory range of a hairy woodpecker, 183
Ramphastos swainsonii, 242
 Raven, Common, 108, 410
 Holarctic, 108
 Redhead, 361
 Redpoll, 366
 Redstart, American, 45, 307, 310, 314
 Painted, 114, 121-123
Regulus calendula, 413
calendula cineraceus, 112, 118, 411
satrapa, 413, 414
satrapa apache, 411, 414
 Richards, Gerald L., White, Clayton M., and Lloyd, Gary D., goshawk nesting in the Upper Sonoran in Colorado and Utah, 269
Richmondia cardinalis, 359
 Ricklefs, Robert E., brood reduction in the curved-billed thrasher, 505
 Rising, James D., notes on behavioral responses of the blue-throated hummingbird, 352
Rissa tridactyla, 284
 Roadrunner, 346, 349

- Roberts, Don R., Banks, Richard C., and Hardy, James L., the composition of a wintering population of white-crowned sparrows in Kern County, California, 90
 Robin, American, 77, 111, 215-219, 233, 247-256, 271, 366, 401, 410
 European, 131, 132
 Rook, 178, 179
 Rook, Warren, and Phillips, Allan R., a new race of the spotted nightingale-thrush from Oaxaca, México, 3
 Rowley, J. Stewart, and Orr, Robert T., nesting and feeding habits of the white-collared swift, 449

S

- Salpinctes obsoletus*, 110
obsoletus obsoletus, 118
 Sandpiper, Sharp-tailed, 357
 Sapsucker, Red-breasted, 445
 Sierra Red-breasted, 460
 Williamson, 105, 409
 Yellow-bellied, 103, 104, 409, 458, 460, 463, 464, 486
Sayornis nigricans, 83
 saya, 189
 Scooter, Black, 277
Seiurus aurocapillus, 45, 193, 257, 300, 307
motacilla, 188, 257
noveboracensis, 188
 Selander, Robert K., and Hauser, Ronald J., gonadal and behavioral cycles in the great-tailed grackle, 157
Selasphorus platycercus platycercus, 103, 117, 408
rufus, 77, 191, 409
sasin, 191
sasin sasin, 191
Serinus canarius, 291
Setophaga picta picta, 114, 119
ruticilla, 45, 307
 Shearwater, Sooty, 356
 Sheldrake, Common, 277
 Short, Lester L., Jr., specimens of Nuttall woodpecker from Oregon, 269
 Short, Lester L., Jr., and Banks, Richard C., Louisiana waterthrush in Baja California, 188
 Short, Lester L., Jr., and Simon, Stephen W., additional hybrids of the slate-colored junco and the white-throated sparrow, 438
 Shrike, Loggerhead, 359
 Red-backed, 207, 374
Sialia, 4
currucoides, 411, 413, 414
mexicana, 414
mexicana amabile, 118
mexicana bairdi, 111, 118, 411
mexicana occidentalis, 118

- Simon, Stephen W., and Short, Lester L., Jr., additional hybrids of the slate-colored junco and the white-throated sparrow, 438
- Siskin, Pine, 115, 412
- Sitta canadensis, 73, 77, 109, 118, 410, 413
- carolinensis, 109
- carolinensis nelsoni, 109, 118, 410
- carolinensis tenuissima, 109, 118
- carolinensis umbrosa, 118, 264
- pygmaea, 109, 410
- pygmaea canescens, 110, 118, 122
- pygmaea chihuahuae, 118
- pygmaea melanotis, 110, 118
- Skutch, Alexander F., life history notes on two tropical American kites, 235
- Skylark, 357
- Snow, David W., the breeding of the red-billed tropic bird in the Galápagos Islands, 210
- Solitaire, Townsend, 73, 78, 111, 411
- Somateria mollissima, 275, 288
- mollissima mollissima, 275
- mollissima v. nigra, 275
- spectabilis, 287
- Sparrow, Andean, 360
- Bell, 121
- Black-chinned, 83, 96, 116
- Black-throated, 189
- Brewer, 121, 189
- Chipping, 116, 412
- English, 183
- European Tree, 176
- Field, 258-262
- Golden-crowned, 79, 271, 360
- House, 135, 158, 166, 178, 300-304, 310, 311, 315
- Lincoln, 412
- Olive, 342
- Rufous-crowned, 447
- Rufous-winged, 188-190
- Song, 26, 37, 40, 205, 258-260, 262, 311, 350, 360
- Tree, 78, 193-209
- Vesper, 311, 445
- White-crowned, 70, 79, 90, 189, 310, 311, 360, 399, 401, 414
- White-throated, 135, 438, 441
- Speotyto, 358
- cunicularia, 358
- Sphyrapicus, 457, 460, 463, 469, 500
- thyroideus, 413
- thyroideus nataliae, 105, 117, 409
- thyroideus thyroideus, 117
- varius, 103, 123, 413, 458, 459, 460, 461, 463, 464, 465, 466, 467
- varius daggetti, 103, 105, 117, 445, 460
- varius nuchalis, 103, 117, 122, 409, 445, 460
- Spinus pinus, 414
- pinus macropterus, 119, 413
- pinus pinus, 115, 119, 412
- psaltria, 413
- tristis, 261, 366
- Spizella, arborea, 78, 193-209
- atroglaris, 83
- atroglaris atroglaris, 119
- atroglaris evura, 116, 119
- breweri, 189
- breweri breweri, 119
- passerina, 412
- passerina arizonae, 116, 119
- passerina atremaeus, 119
- pusilla, 258
- Spring, Lowell W., climbing and pecking adaptations in some North American woodpeckers, 457
- Stager, Kenneth E., an exposed nocturnal roost of migrant Vaux swifts, 81
- Starling, 67-72, 78, 167, 183, 303, 311, 312, 447
- Stellula calliope, 191, 408
- Stensrude, Curt, observations on a pair of gray hawks in southern Arizona, 319
- Stercorarius parasiticus, 542-544
- Sterna albifrons, 544
- hirundo, 543
- Stokes, Allen W., and Williams, H. Warrington, factors affecting the incidence of rally calling in the chukar partridge, 31
- Strauch, Joseph G., Jr., and Thackaberry, William, a western gull with symmetrical white wing patches, 443
- Streptopelia risoria, 291, 378
- Strix occidentalis, 120, 408
- Sturnus, 309
- vulgaris, 67-72, 78, 167, 183, 303, 447
- Sula dactylatra, 355, 356
- leucogaster, 356
- neboxii, 355
- sula, 355
- Sullivan, John O., "flightlessness" in the dipper, 535
- Swallow, Barn, 374
- Violet-green, 107, 410
- Swan, Trumpeter, 530
- Whistling, 446, 447
- Swift, Alpine, 311
- Vaux, 81
- White-collared, 449-456
- White-throated, 103, 408
- Sylvia atricapilla, 401
- borin, 401
- communis, 373, 401

T

- Tachycineta thalassina lepida, 107, 118, 410
- Tadorna tadorna, 277
- Tanager, Golden-masked, 237
- Hepatic, 114, 121-123
- Summer, 90
- Western, 114, 412
- Tangara larvata, 237

Tattler, Wandering, 87-89
 Teal, Blue-winged, 539-540
 Cinnamon, 539-540
 Common, 287
 Green-winged, 356
 Telmatodytes palustris, 6-30, 125-139
 palustris paludicola, 6-30, 125-139
 palustris plesius, 6-30
 Tern, Common, 543
 Fairy, 91
 Least, 544
 Sooty, 360
 Thackaberry, William, and Strauch, Joseph G., Jr., a western gull with symmetrical white wing patches, 443
 Thrasher, Bendire, 444, 445
 Brown, 233, 261
 Curve-billed, 346, 347, 349, 351, 443, 444, 505-510
 Sage, 121
 Thrush, Hermit, 111, 410
 Gray's, 237
 Gray-cheeked, 304, 305, 310
 Swainson, 303, 304, 310, 313, 314, 410
 Thryomanes bewickii eremophilus, 110, 118
 Thryothorus modestus, 342
 Tit, Blue, 131
 Great, 55, 206, 291, 296
 Titmouse, Plain, 109
 Tordoff, Harrison B., and Dawson, William R., the influence of daylength on reproductive timing in the red crossbill, 416
 Torrent duck, Andean, 535
 Totanus flavipes, 89
 Toucan, Chestnut-mandibled, 242
 Toucanet, Emerald, 3
 Towhee, Brown, 319, 412
 Green-tailed, 115, 412
 Rufous-sided, 86, 115, 116
 Toxostoma bendirei, 444, 445
 curvirostre, 346, 443, 505-510
 curvirostre palmeri, 444
 rufum, 233, 261
 Troglodytes aedon, 16, 229-234
 aedon parkmanii, 110, 118, 410
 brunneicollis, 118
 troglodytes, 16
 Tropic Bird, Red-billed, 187, 210-214
 White-tailed, 186, 187, 356
 Yellow-billed, 214
 Turdus, 309
 grayi, 237
 merula, 131, 254, 374, 496
 migratorius, 77, 215-219, 233, 247-256, 366, 401
 migratorius caurinus, 77
 migratorius migratorius, 215, 218
 migratorius propinquus, 111, 118, 215, 218, 247, 410

 pilaris, 254
 Turkey, 98, 408
 Wild, 41
 Twin-spot, Brown, 371
 Tyrannus melancholicus, 237
 vociferans, 413
 Tyto, 309
 alba, 358, 536, 537, 538

V

Vermivora celata, 413, 414
 celata orestera, 113, 411
 luciae, 83
 peregrina, 305
 virginiae, 113, 119, 411, 413
 Verner, Jared, breeding biology of the long-billed marsh wren, 6; time budget of the male long-billed marsh wren during the breeding season, 125; northern limit of the acorn woodpecker, 265
 Vireo gilvus, 414
 gilvus brewsteri, 119
 gilvus leucopolius, 112, 119, 122
 gilvus swainsonii, 112, 119, 411
 olivaceus, 45, 258, 300
 solitarius, 112, 123, 411, 414
 solitarius cassinii, 112, 119
 solitarius pinicolus, 119
 solitarius plumbeus, 112, 119, 122
 vicinior, 112, 119
 Vireo, Gray, 112
 Red-eyed, 45, 47, 258-260, 262, 300
 Solitary, 112, 411
 Warbling, 112, 120, 411
 Vulture, Turkey, 97, 265, 320, 408

W

Wagtail, Yellow, 271
 Warbler, Audubon, 113, 120, 411
 Bay-breasted, 306, 307, 310
 Black-throated Gray, 113, 120
 Garden, 373, 374, 401
 Grace, opp. 93, 113, 114, 120, 121, 123, 411
 Kentucky, 258-260
 Kirtland, 45, 258-262
 Lucy, 83
 MacGillivray, 412
 Magnolia, 306, 307, 310, 314
 Myrtle, 444
 Olive, 411
 Orange-crowned, 113, 411
 Parula, 113, 123
 Pine, 444, 445
 Pink-headed, 540
 Prairie, 322-338, 434
 Red, 540
 Red-faced, 412
 Reed, 134
 Tennessee, 305, 310, 313, 314

- Tolmie, 114
 Virginia, 113, 120, 411
 Willow, 131
 Wilson, 414
 Worm-eating, 112, 123
 Yellow, 113
 Waterthrush, Louisiana, 188, 257, 259
 Northern, 188
 Wauer, Roland H., wintering rufous-crowned
 sparrows found in Utah, 447
 Wauer, Roland H., and Carter, Dennis L., black
 hawk nesting in Utah, 82
 Waxwing, Cedar, 366
 Weeden, J. Stenger, territorial behavior of the
 tree sparrow, 193
 Weeden, Robert B., further notes on wandering
 tattlers in central Alaska, 87
 Wheatear, 73, 77, 206
 Wheeler, Richard J., a record of the white-
 winged dove in northern California, 86
 Wheeler, Richard J., and Harris, Stanley W., hy-
 brid of blue-winged teal \times cinnamon teal
 in northwestern California, 539
 Whip-poor-will, 101, 121, 123
 White, Clayton M., Lloyd, Gary D., and Rich-
 ards, Gerald L., goshawk nesting in the
 Upper Sonoran in Colorado and Utah, 269
 White-throat, 401
 Widgeon, American, 356
 Wiggins, Ira L., Galápagos finch captured in
 flight by laughing gull, 82
 Williams, H. Warrington, and Stokes, Allen W.,
 factors affecting the incidence of rally
 calling in the chukar partridge, 31
 Williamson, Francis S. L., Peyton, Leonard J.,
 and Islieb, Malcom E., new distributional
 and overwintering records of birds from
 south-central Alaska, 73
 Wilsonia pusilla, 414
 pusilla pileolata, 114
 Woodpecker, Acorn, 265
 Black-backed Three-toed, 458
 Downy, 409, 461
 Hairy, 105, 183-185, 409, 458, 460, 461, 463,
 466, 486
 Northern Three-toed, 409
 Nuttall, 269, 270
 Pileated, 459
 Red-bellied, 459
 Red-headed, 459, 483
 White-headed, 120
 Wotton, Michael, and Marshall, David B., Heer-
 mann gull in Nevada, 83
 Wren, Banded-backed, 352
 Bewick, 110
 Cactus, 344-351
 Cañon, 110
 European, 16-18
 Gray-barred, 352
 House, 16, 17, 110, 229-234, 410
 Long-billed Marsh, 6-30, 125-139
 Plain, 342
 Rock, 110
 Short-billed Marsh, 17
 Wright, J. Kenneth, observations of behavior of
 the Andean Torrent duck, 535
- X**
- Xanthocephalus xanthocephalus, 132
 Xenotriccus callizonus, 339-343
- Y**
- Yellowlegs, Lesser, 89
 Yellowthroat, 114, 314
 Yocum, Charles F., longevity record of a black-
 footed albatross, 187
- Z**
- Zenaida asiatica, 86
 Zenaidura macroura, 36, 76, 86, 99, 359
 macroura marginella, 117
 Zonotrichia, 360, 399, 419, 438, 441, 442
 albicollis, 135, 438-441, 493, 496, 501
 atricapilla, 79, 497
 capensis, 360
 leucophrys, 70, 79, 90, 189, 310, 399, 414, 441
 leucophrys gambelii, 90, 360, 489, 500
 leucophrys leucophrys, 90
 leucophrys oriantha, 90
 leucophrys pugetensis, 497

